


# Remote control electrical system 113EHMI4

<< Indoor remote control device >>

<< Outdoor remote control device >>



- Feedback control via wireless sensing devices, such as thermo-humidity, CO2, Heat Index, Ammonia or all indoor air quality, environmental industrial
- Ip68 rated protection for outdoors purposes (ABS material for indoor installation)
- Stainless enclosure ensure working and operation in the worst seashore environment
- Option: MIC WiFi router for wireless transmission (Local SIM card is excluded)
- Human Machine Interface for easy setting WiFi SSID and password, instant situation display
- Master monitors and detects power or working situation via wireless transmission to MIC cloud, portable mobile phones or pads, checking and monitoring anywhere, anytime
- Applications:
  - Agriculture: Green houses plant water spraying system,
  - Aquaculture: Control Aerators, Feeding systems, Ponds water inlet and water outlet
  - Husbandry: Animal husbandry, Livestock breeding, Livestock farm environment
- Standard Electrical circuit in three (3-electrical assembled in cabinet) or four (4-control system) or custom per farmers' s requirement
- Functions:
  - 1) Phase failure protection and LINE alert notification
  - 2) Power outage detection and LINE alert notification
  - 3) Internet disconnection detection and LINE alert notification
  - 4) Connects to all available electrical equipments indoor or outdoor
- Standard exporting package
- Free application for both Andriod and ioS, free MIC cloud stores in the most last 1 year data

Select device      Situation in normal or Failure      Select alert time rate      Timing set up      Extend device set up information

The screenshot displays five panels from the MIC Meter Industrial Company mobile application:

- Panel 1 (Left):** Overview for '嘉義義竹賣蝦' (Jiayi Yizhu Shrimp) showing a smart meter status.
- Panel 2:** Status for '110補嘉義 陳泓碩\_智能電箱' (110 Suppl Jiayi Chen Hongshuo Smart Cabinet) with indicators for '欠相偵測' (Phase detection), '斷電偵測' (Power outage), and '斷訊偵測' (Signal disconnection), all showing '正常' (Normal).
- Panel 3:** Alert settings for '110補嘉義 陳泓碩\_智能電箱' including '警報訊息及故障設定' (Alert and fault settings) and a frequency selection menu (5 minutes selected).
- Panel 4:** Timing setup for '實蝦\_智能電箱\_水智寶' (Shrimp Smart Meter Water Wisdom) with a table for '定時設備設定' (Timing device settings):
 

ON (開)	OFF (關)
05:00	08:00
17:00	19:00
- Panel 5 (Right):** Settings for 'Eason' (APP測試\_99CI3L\_Eason三迴路變頻器) showing '台電電壓值' (Power company voltage) at 220V and a timing table:
 

ON (開)	OFF (關)
16:40	16:45